ECS Configuration Change Request

Page 1 of 1 Pages

CCR No. 97-0035	Logged Date 1/10/97	Rev. -	Request Type CCR

Priority	Routine [X]	Urgent [ ]	Emergency [ ]	Affected Release B	Change Class I I

Title (description) Setup 4 PCs for SmartStream training class

Documents Affected	Source Nos (RID, NCR, Action Item, GSFC CCR, etc.) or Tech Reference

RTM Change [ ]   **Start New Baseline** [ ]

Problem
Need 4 workstations for SmartStream Accounts Receivable training class from Jan 27 - Jan. 31. Workstation configuration: 486 or faster, at least 200 MB of hard drive space, 15" or larger monitor, and networked to file server, mss1. Need SmartStream client software, MS Access and ODBC driver installed on each PC.

Proposed Solution
Identify 4 workstations to be used for SmartStream Accounts Receivable training class with required configuration. Install SmartStream, MS Access and ODBC driver on each PC. If PCs are not available, alternate solution will be to move attendees' PCs to room 3039.

Impact Analysis:

Organizations Affected:

	BOO [ ]	Contracts [ ]	ECS Chief Eng [ ]	FOS [ ]	M&O [ ]
Procurement [ ]	QO [ ]	Rel. Dev [ ]	Rel. A [ ]	Rel. C [ ]	SCDO Arch. [ ]
Science Off [ ]	Security [ ]	Subcontrct [ ]	Sys. Eng [ ]	Sys Verf Acpt [ ]	

Cost:	None [x]	Small [ ]	Medium [ ]	Large [ ]
		(Not exceeding $100,000)	($100,000 to $500,000)	(Over $500,000)

Schedule: None [ ]   Other

   Additional LOC _____   Man-Months _____

   Materials

Originator <u>Jang-Soo Kwon   X0821</u> _____
Signature   Date

Office <u>Release B</u>   Office Manager _____
Signature   Date

Disposition	Approved [ ]	Approved w/Comment [ ]	Forward [ ]	Disapproved [ ]

Comments:

CCB Chairperson _____
Signature   Date